



SUPPLEMENTARY MATERIAL TO
Pyrolysis of corn stalks: the potential of using bio-oil as a fuel

JELENA ISAILOVIĆ^{1*}, EMILIJA VUKIĆEVIĆ², MALIŠA ANTIĆ¹, JAN
SCHWARZBAUER³, LJUBIŠA IGNJATOVIĆ⁴, GORDANA GAJICA⁵ AND VESNA
ANTIĆ¹

¹University of Belgrade – Faculty of Agriculture, Nemanjina 6, 11080 Zemun, Serbia,

²University of Belgrade – Faculty of Chemistry, Studentski trg 12-16, 11158 Belgrade, Serbia,

³Institute for Geology and Geochemistry of Petroleum and Coal, RWTH, Lochnerstr. 4-20,
Aachen, Germany, ⁴University of Belgrade – Faculty of Physical Chemistry, Studentski trg 12-
16, 11000 Belgrade, Serbia, and ⁵Institute of Chemistry, Technology and Metallurgy, National
Institute of the Republic of Serbia, Njegoševa 12, 11000 Belgrade, Serbia.

TABLE S1. Results of ICP-OES analysis of metal content in bio-oil samples.

Parameters	Method	m Kn / mg kg ⁻¹	m Kz / mg kg ⁻¹
The metal content			
Si	VM 129	< 100	< 100
K	VM 129	< 100	155.94
S	VM 129	722.38	154.29
Pb	VM 092-1	< 0.25	< 0.25
Hg	VM 092-1	< 0.15	< 0.15
Cd	VM 092-1	< 0.15	< 0.15

* Corresponding author. E-mail: jelena.isailovic@agrif.bg.ac.rs