

SUPPLEMENTARY MATERIAL TO
**A computational study to identify the metabolites in *Lippia alba*
capable of inhibiting gastric cancer through BCL-2 protein
inhibition**

LUIS H. MENDOZA-HUIZAR*

Universidad Autónoma del Estado de Hidalgo, Academic Area of Chemistry, Carretera
Pachuca-Tulancingo Km. 4.5, CP. 42184, Mineral de la Reforma, México

J. Serb. Chem. Soc. 90 (12) (2025) 1451–1464







Fig. S-1. Predominant molecular interactions between Lys17, Ile14, and Ser49.






*Correspondence E-mail: hhuizar@uaeh.edu.mx

The metabolites included in this study are: 1) β -selinene, 2) (3*Z*)-hexenal, 3) (Z)-isocitral, 4) (Z)-nerolidol, 5) 13-hydroxy-valencene, 6) 14-hydroxy-9-epi-(*E*)-caryophyllene, 7) 1-methylcyclohexa-1,3-diene, 8) *p*-menth-1-ene, 9) 4-methyl-2,3-dihydro-2*H*-pyran-6-one, 10) 5-methylene-2-norbornene, 11) α -humulene, 12) allo-aromadendrene epoxide, 13) α -pinene, 14) α -terpinene, 15) β -acorenol, 16) β -caryophyllene, 17) β -chamigrene, 18) β -elemene, 19) β -phellandrene, 20) β -pinene, 21) camphene, 22) caryophyllene oxide, 23) *cis*-piperitol, 24) *cis*-pinocarvyl acetate, 25) *cis*-sabinene hydrate acetate, 26) *cis*- β -guaiene, 27) *E*-salvene, 28) ethyl pent-4-enoate, 29) eugenol, 30) eugenol acetate, 31) *exo*-2-norborneol, 32) geranial, 33) geraniol, 34) geranyl acetate, 35) geranyl butanoate, 36) geranyl isobutanoate, 37) geranyl formate, 38) germacrene D, 39) khusimol, 40) ledol, 41) limonene, 42) limonene aldehyde, 43) linalool, 44) mesitylene, 45) methyl eugenol, 46) methyl geranate, 47) 1-methylcyclohexa-1,4-diene, 48) myrcene, 49) myrcenol, 50) neoisodihydro carveol, 51) neral, 52) nerol, 53) *o*-cymene, 54) *p*-cymene, 55) santalone, 56) santolina triene, 57) terpinolene, 58) thuj-2,4(10)-diene, 59) *trans*-piperitol, 60) *trans*-ascaridol glycol, 61) *trans*-dihydrocarvone, 62) *trans*-piperitone epoxide, 63) *trans*-verbenyl acetate, 64) *trans*- β -terpineol, 65) tricyclene, 66) valencene, 67) γ -cadinene, 68) γ -elemene, 69) γ -eudesmol, 70) γ -terpinene, 71) γ -terpineol, 72) δ -selinene, 73) δ -elemene.

Table S-I. *Lippia alba* metabolites studied and biological properties^{1,2}







No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
1	(3 <i>R</i> ,4 <i>aS</i> ,8 <i>aR</i>)-8 <i>a</i> -methyl-5-methylidene-3-prop-1-en-2-yl-1,2,3,4,4 <i>a</i> ,6,7,8-octahydronaphthalene	β -selinene		Antifungal, antibacterial and antioxidants
2	(<i>Z</i>)-hex-3-enal	(3 <i>Z</i>)-hexenal		-
3	(<i>Z</i>)-3,7-dimethyl-3,6-octadienal	(<i>Z</i>)-Isocitral		Antispasmodic









No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
4	(6Z)-3,7,11-trimethyldodeca-1,6,10-trien-3-ol	(Z)-nerolidol		Antioxidant, antibacterial, antimycotic, antitumoral
5	(1S,4aR,7S,8aS)-1,4a-dimethyl-7-(prop-1-en-2-yl)-1,2,3,4,4a,5,6,7,8,8a-decahydronaphthalen-1-ol.	13-hydroxy-valencene		Antioxidant, anti-inflammatory
6	[(5Z)-6,10-dimethyl-2-methylidene-10-bicyclo[7.2.0]undec-5-enyl]methanol	14-hydroxy-9-epi-(E)-Caryophyllene		-
7	1-methylcyclohexa-1,3-diene	1-methylcyclohexa-1,3-diene		-
8	p-Menth-1-ene	p-Menth-1-ene		-
9	4-methyl-2,3-dihydro-2H-pyran-6-one	4-methyl-2,3-dihydro-2H-pyran-6-one		-






No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
10	5-methylidenebicyclo[2.2.1]-hept-2-ene	5-Methylene-2-norbornene		-
11	(1Z,4Z,8E)-2,6,6,9-tetramethylcycloundeca-1,4,8-triene	α -humulene		Anti-inflammatory
12	(1a <i>S</i> ,7 <i>S</i> ,7 <i>bR</i>)-1,1,7-trimethylspiro[2,3,4a,5,6,7,7a,7b-octahydro-1aH-cyclopropa[<i>e</i>]azulene-4,2'-oxirane]	Allo-Aromadendrene epoxide		Antiviral
13	(1 <i>R</i> ,5 <i>R</i>)-2,6,6-trimethylbicyclo[3.1.1]hept-2-ene	α -Pinene		Antioxidant, anticancer, genotoxic
14	1-methyl-4-propan-2-ylcyclohexa-1,3-diene	α -terpinene		Antioxidant








No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
15	2-[(1 <i>R</i> ,4 <i>R</i> ,5 <i>R</i>)-1,8-dimethylspiro[4.5]dec-8-en-4-yl]propan-2-ol	β -acorenol		-
16	(4 <i>E</i>)-4,11,11-trimethyl-8-methylidenebicyclo[7.2.0]undec-4-ene	β -caryophyllene		Anticancer, antioxidant, antimicrobial.
17	(6 <i>R</i>)-5,5,9-trimethyl-1-methylidenespiro[5.5]undec-9-ene	β -chamigrene		-
18	(1 <i>S</i> ,2 <i>S</i> ,4 <i>R</i>)-1-ethenyl-1-methyl-2,4-bis(prop-1-en-2-yl)cyclohexane	β -elemene		Anticancer
19	3-methylidene-6-(propan-2-yl)cyclohex-1-ene	β -Phellandrene		-






No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
20	6,6-dimethyl-2-methylidenebicyclo[3.1.1]heptane	β -pinene		Anticancer
21	2,2-dimethyl-3-methylidenebicyclo[2.2.1]heptane	Camphene		Antibacterial, antifungal, antioxidant, anticancer
22	(1 <i>R</i> ,4 <i>R</i> ,6 <i>R</i> ,10 <i>S</i>)-4,12,12-trimethyl-9-methylene-5-oxatricyclo[8.2.0.0 ^{4,6}]dodecane	Caryophyllene oxide		Anticancer, analgesic.
23	(1 <i>R</i> ,6 <i>S</i>)-3-methyl-6-propan-2-ylcyclohex-2-en-1-ol	Cis-piperitol		-
24	1 <i>S</i> ,3 <i>S</i> ,5 <i>S</i>)-6,6-dimethyl-2-methylidenebicyclo[3.1.1]hept-3-yl acetate	Cis-Pinocarvyl acetate		-

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
25	[(2 <i>R</i> ,5 <i>S</i>)-2-methyl-5-propan-2-yl-2-bicyclo[3.1.0]hexanyl] acetate	Cis-sabinene hydrate acetate		-
26	(1 <i>R</i> ,4 <i>R</i>)-1,4-dimethyl-7-propan-2-ylidene-2,3,4,5,6,8-hexahydro-1 <i>H</i> -azulene	Cis-β-guaiene		-
27	(2 <i>E</i>)-6-methyl-5-methylenehept-2-ene	<i>E</i> -Salvene		-
28	<i>E</i> thyl pent-4-enoate	Ethyl pent-4-enoate		-
29	2-methoxy-4-prop-2-enylphenol	Eugenol		Anticancer
30	(2-methoxy-4-prop-2-enylphenyl) acetate	Eugenol acetate		Anticancer






No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
31	bicyclo[2.2.1]heptan-2-ol	Exo-2-Norborneol		-
32	(2E)-3,7-dimethylocta-2,6-dienal	Geranial		Anticancer
33	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Geraniol		Anticancer
34	(2E)-3,7-dimethylocta-2,6-dien-1-yl acetate	Geranyl acetate		Antibacterial and antifungal.
35	(2E)-3,7-dimethylocta-2,6-dien-1-yl butanoate	Geranyl butanoate		-
36	(2E)-3,7-dimethylocta-2,6-dien-1-yl 2-methylpropanoate	Geranyl isobutanoate		-
37	(2E)-3,7-dimethylocta-2,6-dien-1-yl formate	Geranyl formate		-
38	(1E,6E,8S)-1-methyl-5-methylidene-8-propan-2-ylcyclodeca-1,6-diene	Germacrene D		Antibacterial, antifungal, anti-inflammatory

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
39	[(1 <i>R</i> ,2 <i>S</i> ,5 <i>S</i> ,8 <i>R</i>)-7,7-dimethyl-6-methyldene-2-tricyclo[6.2.1.0 ^{1,5}]undecanyl]methanol	Khusimol		-
40	1,1,4,7-tetramethyl-2,3,4 <i>a</i> ,5,6,7,7 <i>a</i> ,7 <i>b</i> -octahydro-1 <i>aH</i> -cyclopropa[<i>e</i>]azulen-4-ol	Ledol		-
41	1-methyl-4-prop-1-en-2-ylcyclohexene	Limonene		Antioxidant, antigenotoxic, anti-inflammatory
42	3-(4-methylcyclohex-3-en-1-yl)butanal	Limonene aldehyde		-
43	(3 <i>R</i>)-3,7-dimethylocta-1,6-dien-3-ol	Linalool		Anti-inflammatory, anticancer, antimicrobial, contraceptive, analgesic, anxiolytic, antidepressant

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
44	1,3,5-trimethylbenzene	Mesitylene		-
45	1,2-dimethoxy-4-prop-2-enylbenzene	Methyl eugenol		Anticancer
46	methyl (2E)-3,7-dimethylocta-2,6-dienoate	Methyl geranate		Antimicrobial
47	1-methylcyclohexa-1,4-diene	1-methylcyclohexa-1,4-diene		-
48	7-methyl-3-methylenoocta-1,6-diene	Myrcene		Analgesic
49	2-methyl-6-methylideneoct-7-en-2-ol	Myrcenol		-
50	2-methyl-5-prop-1-en-2-ylcyclohexan-1-ol	Neoisodihydro carveol		-

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
51	(2Z)-3,7-dimethylocta-2,6-dienal	Neral		Anticancer
52	(2Z)-3,7-dimethylocta-2,6-dien-1-ol	Nerol		Anticancer
53	1-methyl-2-(propan-2-yl)benzene	o-Cymene		Antimicrobial
54	1-methyl-4-(propan-2-yl)benzene	p-Cymene		Antimicrobial
55	1-{2,3-dimethyltricyclo[2.2.1.0 ^{2,6}]-heptan-3-yl}ethan-1-one	Santalone		Analgesic.

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
56	3-ethenyl-2,5-dimethylhexa-1,4-diene	Santolina triene		Anti-inflammatory, antioxidant y antibacterial
57	1-methyl-4-(propan-2-ylidene)cyclohex-1-ene	Terpinolene		-
58	1-Isopropyl-4-methylenebicyclo[3.1.0]hex-2-ene	Thuja-2,4(10)-diene		-
59	(1 <i>S</i> ,6 <i>S</i>)-3-methyl-6-(propan-2-yl)cyclohex-2-en-1-ol	Trans piperitol		Antifungal
60	2-Cyclohexene-1,4-diol, 1-methyl-4-(1-methylethyl)-	Trans-ascaridol glycol		Antioxidant.

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
61	(2 <i>R</i> ,5 <i>R</i>)-2-methyl-5-prop-1-en-2-ylcyclohexan-1-one	Trans-dihydrocarvone		Antioxidant.
62	(1 <i>R</i> ,3 <i>R</i> ,6 <i>R</i>)-6-methyl-3-propan-2-yl-7-oxabicyclo[4.1.0]heptan-2-one	Trans-Piperitone epoxide		Antioxidant, antibacterial.
63	[(1 <i>R</i> ,2 <i>S</i> ,5 <i>R</i>)-4,6,6-trimethyl-2-bicyclo[3.1.1]hept-3-enyl]acetate	Trans-verbenyl acetate		-
64	1-Methyl-4-(1-methylvinyl)cyclohexan-1-ol	Trans-β-pterpineol		-
65	1,7,7-trimethyltricyclo[2.2.1.0 ^{2,6}]-heptane.	Tricyclene		Antioxidant.

No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
66	(3 <i>R</i> ,4 <i>aS</i> ,5 <i>R</i>)-4 <i>a</i> ,5-dimethyl-3-(prop-1-en-2-yl)-1,2,3,4,4 <i>a</i> ,5,6,7-octahydronaphthalene	Valencene		-
67	(1 <i>S</i> ,4 <i>aR</i> ,8 <i>aR</i>)-7-Methyl-4-methyldiene-1-(propan-2-yl)-1,2,3,4,4 <i>a</i> ,5,6,8 <i>a</i> -octahydronaphthalene	γ -Cadinene		Antioxidant.
68	(1 <i>S</i> ,2 <i>S</i>)-1-ethenyl-1-methyl-4-propan-2-ylidene-2-prop-1-en-2-ylcyclohexane	γ -Elemene		Larvicide.
69	(2-[(2 <i>R</i> ,4 <i>aR</i>)-4 <i>a</i> ,8-dimethyl-2,3,4,5,6,7-hexahydro-1 <i>H</i> -naphthalen-2-yl]propan-2-ol	γ -eudesmol		Antioxidant, Antimicrobial.
70	1-methyl-4-propan-2-ylcyclohexa-1,4-diene	γ -terpinene		Anticancer, antibacterial, Antifungal.




No.	IUPAC Name Metabolite ³	Common name Metabolite	Structure	Biological properties
71	1-methyl-4-propan-2-ylidenecyclohexan-1-ol	γ -terpineol		Anticancer
72	4,8a-dimethyl-6-propan-2-yl-2,3,7,8-tetrahydro-1H-naphthalene	δ -selinene		-
73	4-ethenyl-4-methyl-1-propan-2-yl-3-prop-1-en-2-ylcyclohexene	δ -elemene		Anticancer

Table S-II. Nomenclature of terms used in the manuscript

Term	Description
BCL-2	B-cell lymphoma 2
BH3	Bcl-2 Homology 3
BAX	Bcl-2-associated X protein
BH4	Bcl-2 Homology 4
Raf-1	Raf-1 proto-oncogene, serine/threonine kinase
c-Myc	cellular Myelocytomatosis oncogene
IP3R	Inositol 1,4,5-trisphosphate receptor
His20	Histidine at position 20
Tyr21	Tyrosine at position 21
His94	Histidine at position 94
Val93	Valine at position 93
Ile14	Isoleucine at position 14
Tyr9	Tyrosine at position 9
Lys17	Lysine at position 17
Tyr18	Tyrosine at position 18
ADMET	Absorption, Distribution, Metabolism, Excretion, and Toxicity
QM/MM	Quantum Mechanics / Molecular Mechanics,
IG5M	PDB ID of BCL-2
Ile14	isoleucine amino acid residue at position 14
Tyr9	Tyrosine residue at position 9
Val93	Valine amino acid residue at position 93
His94	Histidine residue at position 94
PM6	Parametric Method 6
DFT	Density Functional Theory
UFF	Universal Force Field (UFF)

Table S-III. Results of Lipinski's Rule of Five Analysis for the 73 Evaluated Metabolites

Compound	PM ≤500	MLOGP ≤ 4.15	N or O ≤ 10	NH or OH ≤ 5
2,3,4,5,6,7,9,10,12,14,15,19,22,23,24,25,26, 27,28,29, 30,31,32,33,34,35,36,37,39,40, 41,42,43,45,46,47,48,49,50, 51,52,55,56, 57,58,59,60,61,62,63,64,69,70,71	✓	✓	✓	✓
1,8,11,13,15,16,17,18,20,21,38,44,53,54,65, 66,67,68,72,73	✓	✗	✓	✓

REFERENCES

1. L. Silva-Santos, L. Palhares Neto, N. Corte-Real, M. V. L. Sperandio, C. A. G. Camara, M. M. Moraes, C. Ulisses, *South African J. Bot.* **163** (2023) 756 (<http://dx.doi.org/10.1016/j.sajb.2023.10.024>)
2. P. T. de Souza Silva, L. M. de Souza, M. B. de Morais, M. M. de Moraes, C. A. G. da Camara, C. Ulisses, *South African J. Bot.* **147** (2022) 415 (<http://dx.doi.org/10.1016/j.sajb.2022.01.042>)
3. Lexichem TK 2.7.0, 2025 (<https://docs.eyesopen.com/toolkits/python/lexichemtk/index.html#>) (Accessed July 28, 2025).