

SUPPLEMENTARY MATERIAL TO
The accumulation of metals in *Onobrychis viciifolia* Scop., their distribution in plant parts, and the impact on the content of phenols and flavonoids as well as antioxidant and genotoxic activity

GORICA T. ĐELIĆ¹, MILICA B. PAVLOVIĆ¹, ZORAN B. SIMIĆ², JOVANA M. TUBIĆ VUKAJLOVIĆ¹, DARKO V. GRUJIČIĆ¹, MARINA Z. RADOVIĆ JAKOVLJEVIĆ^{1*}, AND OLIVERA M. MILOŠEVIĆ ĐORĐEVIĆ^{1,3}

¹University of Kragujevac, Faculty of Science, Department of Biology and Ecology, Radoja Domanovica 12, Kragujevac, Serbia, ²University of Kragujevac, Faculty of Science, Department of Chemistry, Radoja Domanovica 12, Kragujevac, Serbia, ³University of Kragujevac, Faculty of Medical Sciences, Department of Genetics, Svetozara Markovića 69, Kragujevac, Serbia.




Fig. S-1. Presentation of principal component analysis (PCA) in plant parts and localities, *R-root, AP-aerial part, I-Inflorescence, TS-tailing site, UL-uncontaminated locality.

* Corresponding author. E-mail: marina.jakovljevic@pmf.kg.ac.rs