

SUPPLEMENTARY MATERIAL TO

The accumulation of metals in *Onobrychis viciifolia* Scop., their distribution in plant parts and the impact on the content of phenols and flavonoids, as well as antioxidant and genotoxic activity

GORICA T. ĐELIĆ¹, MILICA B. PAVLOVIĆ¹, ZORAN B. SIMIĆ², JOVANA M. TUBIĆ VUKAJLOVIĆ¹, DARKO V. GRUJIČIĆ¹, MARINA Z. RADOVIĆ JAKOVLJEVIĆ^{1*} and OLIVERA M. MILOŠEVIĆ-ĐORĐEVIĆ^{1,3}

¹University of Kragujevac, Faculty of Science, Department of Biology and Ecology, Radoja Domanovica 12, Kragujevac, Serbia, ²University of Kragujevac, Faculty of Science, Department of Chemistry, Radoja Domanovica 12, Kragujevac, Serbia and ³University of Kragujevac, Faculty of Medical Sciences, Department of Genetics, Svetozara Markovića 69, Kragujevac, Serbia

J. Serb. Chem. Soc. 91 (0) (2026) 000–000




Fig. S-1. Presentation of principal component analysis (PCA) in plant parts and localities, *R-root, AP-aerial part, I-inflorescence, TS-tailing site, UL-uncontaminated locality.

* Corresponding author. E-mail: marina.jakovljevic@pmf.kg.ac.rs