

SUPPLEMENTARY MATERIAL TO  
**Efficient one-pot solvothermal synthesis of lanthanum-iron oxide and  
its application in tenofovir adsorption**

ZHIGANG LIU<sup>1</sup>, PING XU<sup>2</sup>, SHIHUA YU<sup>2</sup>, XIANG LI<sup>1</sup>, XIAODAN ZENG<sup>3</sup>, JIBO  
ZHANG<sup>1\*</sup>, AND JUNJING HAO<sup>4</sup>

<sup>1</sup>College of Petrochemical Technology, Jilin University of Chemical Technology, Jilin 132022, China, <sup>2</sup>College of Chemical & Pharmaceutical Engineering, Jilin University of Chemical Technology, Jilin 132022, China, <sup>3</sup>Centre of Analysis and Measurement, Jilin Institute of Chemical Technology, Jilin 132022, China, and <sup>4</sup>China Petroleum Jilin Chemical Engineering Co., Ltd., Jilin 132000, China.




Fig. S1. (a) Pseudo-first-order and (b) pseudo-second-order kinetic models for PMPA adsorption on lanthanum-iron oxide.

\* Corresponding author. E-mail: [763976113@qq.com](mailto:763976113@qq.com)




Fig. S2. (a) Langmuir and (b) Freundlich isotherm models for the adsorption of PMPA on lanthanum-iron oxide.




Fig. S3. Schematic of the plausible mechanism of PMPA removal by lanthanum-iron oxide.